AN 2001:152280 CAPLUS DN 134:196690

TI Cadmium-free silver-copper brazing alloys

IN Kempf, Bernd; Wittpahl, Sandra; Kaufmann, Dieter

PA Degussa-Huls Aktiengesellschaft, Germany; Brazetec GmbH

SO Eur. Pat. Appl., 8 pp.

CODEN: EPXXDW

DT Patent

LA German

FAN.CNT 1

	PATENT NO.					KIND		DATE			APPLICATION NO.					DATE			
ΡI	EP 1078711					A1	_	20010228			EP 2000-117138					20000810			
	EP 1078711				B1 20050629														
		R:	AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR	, IT,	LI,	LU,	NL,	SE,	MC,	PT,	
			IE,	SI,	LT,	LV,	FI,	, RO											
	DE	1994	0115			A1		2001	0301	]	DΕ	1999-	1994	0115		19	990	824	
•	AT	2986	49			E		2005	0715	i	TΑ	2000-	1171	38		20	0000	810	
	ES	2242	562			T3		2005	1116	]	ĖS	2000-	1171	38		20	0000	810	
	NZ	5063	79			Α		2001	1221	]	ΝZ	2000-	5063	79		20	0000	816	
	TW	5286	37			В		2003	0421	•	ΤW	2000-	8911	6709		20	0000	818	
	JP	JP 2001087889				A2		2001	0403	,	JP	2000-	2511	45		20	0000	822	
	$z_{A}$	2000	00433	36		A		2001	0227		ZA	2000-	4336			20	0000	823	
PRAI	DE	1999	-1994	40115	5	Α		1999	0824										

AB The Cd-free brazing alloys contain Ag 45-75, Cu 10-30, Ga  $\leq$ 20, Zn 1-25, Sn and/or In  $\leq$ 6, Mn 0.1-8 or Si and/or Ge 0.1-3%. The

nontoxic alloys have a low melting temperature and high wettability. The alloys

are suitable for brazing of hard metals such as brazing of diamond-coated hard metal components in manufacture of drill bits.

RE.CNT 9 THERE ARE 9 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT